

# F14ST – F38ST – F12ST

Brass filters,  
suitable for gas and liquid



## FEATURES

Filter for inlet pressure up to 50 bar (725 psi) in the standard version.

Inlet and outlet connections 1/4" - F, 3/8" - F and 1/2" - F.

Brass body from bar and drawn stainless steel AISI 316L bowl.

Filtration rate: 5 µm, 50.

Condensation drain: automatic drain SAI for pressure up to 16 bar (232 psi), manual drain SM for pressure up to 30 bar (435 psi).

Available the EAC-EX TP TC 012/2011 versions for the Russian market.

The product complies with the directive 2014/68/CE PED.

Available units composed of:  
Filter + Regulator + Lubricator.

## **SPECIFICATIONS**

Filter weight: F14 ST / F38 ST ~1.2 kg (~2.64 lb)

F12 ST ~2.1 kg (~4.63 lb)

Standard version operating temperature: -20 °C ÷ +60 °C (-4 °F ÷ +140 °F)

Degree of protection: IP56, IP66 for cap drain version

Bowl capacity F14 ST / F38 ST: 140 cc (4,7 US fl oz)

F12 ST: 200 cc (6,7 US fl oz)

Automatic drain SAI: drains the condensate before builds up to the filter cartridge (only for air version and PS=16 bar)

## **MATERIALS**

Body: brass

Bowl: stainless steel AISI 316L

Internal parts: stainless steel AISI 316L

Filter cartridge: stainless steel AISI 316L

O-Ring: NBR / EPDM / FPM (alternative compounds available on request)

Condensate drain: brass

## **ACCESSORIES**

Wall mounting bracket kit

## **SPARE PARTS**

Filter cartridges

Complete kit: gaskets and filter cartridges

Manual drain (with NBR o-ring)

Automatic drain (with NBR o-ring)

## generating the product code

Filtri serie ST in OTTONE / BRASS Filter series ST			
AA BB CC D E FF			
AA	Attacchi / Connections	P0	1/4"G-F
		P0	3/8"G-F
		P0	1/2"G-F
BB	Tipologia di fluido / Fluid type	15	O2
		97	NBR
		98	EPDM
		99	FPM
CC	Tazza + scarico / Bowl + drain	31	SAI / Automatic drain 16bar
		32	SM / Manual drain 30bar
		33	Tappo / Cap 50bar
D	Filtrante / Filter	C	5µm
		H	50µm
E	Marchiato / Marked	I	Insert Deal
FF	Accessori / Accessories	00	Nessun accessorio

## CODE COMPOSITION EXAMPLE

**231# P0 99 33 J I 00**

**231#:** Series ST filter

**P0:** Connections G 1/2

**99:** FPM o-ring

**33:** Drain cap, PS= 50 bar (725 psi)


**C:** Filtration 5µm

**I:** Insert Deal

**00:** No accessories

# technical drawings (all dimensions in mm)

Bracket to be ordered separately, kit order number: M13001




PS bar	DRAIN	L
16	AUTOMATIC	~154,5
30	MANUAL	~148
50	NO DRAIN	~140
80	NO DRAIN	~140

TYPE	IN/OUT	BODY MATERIAL	BOWL MATERIAL
F14ST GAS	G1/4-F	CW614N	AISI 316L
F38ST GAS	G3/8-F	CW614N	AISI 316L

GAS FILTRATION	
CARTRIDGE	MATERIAL
5 µm	AISI 316L
5 µm	PE
50 µm	AISI 316L

# technical drawings (all dimensions in mm)

Bracket to be ordered separately, kit order number: M13002



PS [bar]	DRAIN	L
16	AUTOMATIC	-165
30	MANUAL	-158
50	NO DRAIN	-150
80	NO DRAIN	-150

TYPE	IN/OUT	BODY MATERIAL	BOWL MATERIAL
F12ST G1/2"	G 1/2"-F	CW614N	AISI 316L

GAS FILTRATION	
CARTRIDGE	MATERIAL
5 $\mu$ m	PE
5 $\mu$ m	AISI 316L

## **ID Insert Deal Srl**

Strada dei Boschi, 40  
20852 Villasanta (MB) Italia  
tel. +39 039 302035  
[info@idinsertdeal.com](mailto:info@idinsertdeal.com)  
[www.idinsertdeal.com](http://www.idinsertdeal.com)

ID Insert Deal si riserva il diritto di cambiare le specifiche del prodotto senza preavviso.  
ID Insert Deal reserves the right to change and/or modify product specifications without prior notice.

Insert Deal non si assume alcuna responsabilità per la scelta, uso e manutenzione di qualsiasi prodotto. La responsabilità per l'ideale scelta, uso e manutenzione di qualsiasi prodotto ID rimane interamente a carico dell'acquirente.  
Insert Deal does not assume responsibility for selection, use and maintenance of any products. Responsibility for proper selection, use and maintenance of any ID products remains entirely to the purchaser.

Riproduzione vietata. Tutti i diritti riservati; nessuna parte del presente documento può essere riprodotta senza autorizzazione di ID Insert Deal Srl.  
Reproduction forbidden. All rights reserved; the hereby document can't be reproduced, also partially, without the authorization of ID Insert Deal Srl.

**FILTER\_231(F14ST-F38ST-F12ST)\_EN\_02**



Azienda con sistema di gestione qualità certificato.  
certificato N° 50 100 9191  
Company with certificated quality management system.  
certificate N° 50 100 9191